

# NEESUCC Cooperative Purchasing

*United We Save.*



# PICKLEBALL

*nets, poles, portable systems*

**800-247-2326**

## Cooperative prices available for:

public school districts, nonpublic school systems, other ESUs, and other public agencies, including any county, city, village, school district, or agency of the state government of the State of Nebraska.

**Athletic Equipment & Supplies Bid #018.5C**



## **DOUGLAS® PREMIER PPS22-SQ PORTABLE PICKLEBALL NET SYSTEM. #63122** **EXPAND YOUR FACILITY - PORTABLE PICKLEBALL NET ON WHEELS.**

If you are looking for a portable system that lasts a lifetime and plays like a permanent pickleball net then the PPS-22SQ is for you! These portable pickleball systems raise the bar and are the gold standard and is the closest you can get to a permanent net's durability and quality without having to deal with installing ground sleeves. Unlike other portable units, the PPS-22SQ utilizes a center strap to achieve the proper 34" center net height for regulation play. [Read More](#)

These portable pickleball systems raise the bar and are the gold standard when permanent installation is not desired for either indoor or outdoor court applications. What sets this portable pickleball system apart from other portable systems? It is the closest you can get to a permanent net's durability and quality without having to deal with the expense of drilling and pouring concrete. The system boasts all the features of the Douglas® Premier™ Posts and plays like a permanent system. Unlike other portable units, the PPS-22SQ utilizes a center strap to achieve the proper 34" center net height for regulation play.

Easy-to-Assemble Portable PPS-22SQ systems are easy-to-assemble and only a couple tools are needed for assembly. All post and base frame pieces slide into place and are secured with pre-drilled set screws.

### **Rugged Solid Steel Construction**

The 3" square tennis post is constructed from heavy-duty 11-gauge steel. Heavy-duty base frame is also constructed of 11-gauge 3" square steel and 3-1/2" square 3/16" heavy-wall steel. This portable system is supported by unique flat stabilizer legs that offer a greater range of play and increases player safety. Systems are finished with black baked-on polyester powder coat to resist rust and increase durability. The system can be used on both indoor and outdoor surfaces and is completely weather treated for year-round use. It is recommended that you store the system indoors during the off season for prolonged life.

### **Durable Long Lasting Hardware**

Post is internally wound and features a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear housings and caps are made of cast aluminum alloy. Gear function is 30:1 to ensure a smooth, easy operation. Flush mounted gear plate cover and removable handle are chrome plated.

### **Professional Quality Net**

Net easily attaches with the top cable and to an eye-bolt on the base frame; no lacing rods are needed. Systems are complete with the PN-30 pickleball net and a velcro center strap. Net is constructed of 3.0 mm polyethylene netting with a white vinyl coated polyester headband. The net tension on typical portable pickleball nets is under 20 pounds. The net tension on the PPS-22SQ system is closer to the true permanent net tension of 400-500 pounds.

### **Transporter Wheel Assembly**

The transporter wheel assembly allows for the systems to be moved on and off the court with ease. The heavy-duty non-scurf wheels are secured to the transporter assembly with smooth swivel casters that make moving the 215 pound system effortless. When its time to set the system in place for game play the transporter bracket simply flips up and out of the way. The non scurf wheels are always resting on the court so there's no need to worry about damaging the court's surface.

### **Lift Assist Handles**

Convenient lift assist handles are included and allow to easily lift each post end to flip the transporter bracket up and out of the way while unit is in play.

#63122 DOUGLAS® PREMIER PPS22-SQ PORTABLE PICKLEBALL NET SYSTEM

\$2,425

**YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!**

PRICES SUBJECT TO CHANGE & AVAILABILITY PLUS SHIPPING | VOLUME DISCOUNTS AVAILABLE | COOPERATIVE PURCHASING CONTRACT PRICING FOR ALL 50 STATES

**Premier PPS22-SQ Pickleball System by Douglas #63122**


Lift Assist Handles Installed on Take-up Post



Lift Assist Handles on dummy post




Lift Assist Handles



Rugged Steel Construction



Durable Long Lasting Hardware



Center Strap for Proper 34" Center Height



Smooth Transporter Wheel Assembly

**YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!***PRICES SUBJECT TO CHANGE & AVAILABILITY PLUS SHIPPING | VOLUME DISCOUNTS AVAILABLE | COOPERATIVE PURCHASING CONTRACT PRICING FOR ALL 50 STATES*

# PREMIER<sup>TM</sup>SQ



## DOUGLAS® PICKLEBALL PREMIER™ SQUARE SURFACE MOUNT #63080

*SQ NET MOUNT TO CONVERT TENNIS COURTS TO PICKLEBALL COURTS*

Easily convert existing tennis courts to pickleball courts with these easy-to-install surface mount posts. These 36" high posts boast all the features of the standard Premier™ SQ posts except they offer a heavy-duty bottom welded base plate to secure posts to the playing surface.

### DIMENSIONS

36" High, 3" Square

### POST AND BASE

The 3" square pickleball post is constructed from heavy-duty 11-gauge steel. Post is welded to a thick base plate to secure posts to the playing surface. Systems are finished with black baked-on polyester powder coat to resist rust and increase durability. Integrated welded steel lacing rods are included for a profession net installation.

### HARDWARE

Internally wound featuring a self-locking gear mechanism. Gears are constructed of plated steel and the small gear is case hardened. Gear housings and caps are made of cast aluminum alloy. Gear function is 30:1 to ensure a smooth, easy operation. Flush mounted gear plate cover and removable handle are chrome plated.

### WARRANTY

5 Year Limited

#63080

DOUGLAS® PICKLEBALL PREMIER™ SQUARE SURFACE MOUNT

\$695



**YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!**

*PRICES SUBJECT TO CHANGE & AVAILABILITY PLUS SHIPPING | VOLUME DISCOUNTS AVAILABLE | COOPERATIVE PURCHASING CONTRACT PRICING FOR ALL 50 STATES*

**DOUGLAS® PN-30 PREMIER PICKLEBALL  
NET AND CENTER STRAP #20103S**

The Douglas® 21'9" Pickleball net is made with a shorter height of 31" to allow pickleballs to roll underneath. Netting is 1-3/4 square mesh braided 3.0mm polyethylene, unsurpassed for durability and weather resistance.

**SIZE**

Custom Shorter Pickleball Net size, 21'9"L x 31"H

**HEADBAND**

65 oz (20 oz./sq. yd.) 2-Ply vinyl coated polyester headband. Headband is lock-sewn with four rows of #32 white polyester thread. Complete with a vinyl coated, 5/32" galvanized steel cable with 2300# break strength.

**NETTING**

Netting is 1-3/4" square mesh braided solid core polyethylene, unsurpassed for durability and weather resistance. 3.0 mm netting with 285 lb break strength.

**SIDE & BOTTOM TAPE**

Vinyl bottom tape and side pockets of headbands are polyester based and won't shrink, mildew or rot when exposed to the elements. Tapes are double lock-stitched with black polyester thread.

**INCLUDES**

1/2" fiberglass side dowels

**WARRANTY**

4 Year Limited



**#20103S** DOUGLAS® PN-30 PREMIER PICKLEBALL  
NET AND CENTER STRAP

**\$149**

**YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!**

PRICES SUBJECT TO CHANGE & AVAILABILITY PLUS SHIPPING | VOLUME DISCOUNTS AVAILABLE | COOPERATIVE PURCHASING CONTRACT PRICING FOR ALL 50 STATES

# PREMIER<sup>TM</sup>XS



## DOUGLAS 2-7/8 IN OD PICKLEBALL POSTS, STAINLESS STEEL GEARS

**#63074SS | #63075SS***DOUGLAS® PREMIER™ XS-36 HEAVY DUTY PICKLEBALL POSTS*

The Premier™ XS Series is the Cadillac of pickleball posts; providing first-class looks and durability for both indoor and outdoor court applications.

### DIMENSIONS

54" in length and sit 36" above court surface

### POST

These 2-7/8" OD posts are constructed from heavy-duty 8-gauge steel and feature Allied's® superior Flo-coat® galvanization process. Posts are finished with black or forest green baked-on polyester powder coat to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation.

### HARDWARE

Internally wound posts feature a jam-free cable tensioning hardware system. Choose from stainless steel, plated steel or brass gears. Gear housings and caps are made of die cast zinc. The gear function is 30:1 ratio to ensure a smooth, easy operation. The flush mounted gear plate cover has a removable handle to prevent any unwanted tampering.

### WARRANTY

5 Year Limited

### GROUND SLEEVES



Corresponding Ground Sleeves are sold separately. Choose from 24" Round PVC or Aluminum.



**#63074SS** DOUGLAS 2-7/8 IN OD PICKLEBALL POSTS, STAINLESS STEEL GEARS—GREEN

**\$665**

**#63075SS** DOUGLAS 2-7/8 IN OD PICKLEBALL POSTS, STAINLESS STEEL GEARS—BLACK

**\$665**

**YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!**

PRICES SUBJECT TO CHANGE & AVAILABILITY PLUS SHIPPING | VOLUME DISCOUNTS AVAILABLE | COOPERATIVE PURCHASING CONTRACT PRICING FOR ALL 50 STATES

# PREMIER<sup>TM</sup>XS

**DOUGLAS® 2-7/8" HEAVY DUTY PICKLEBALL POSTS, BRASS GEARS****#63074BR | #63075BR***DOUGLAS PREMIER XS 2-7/8" OD GREEN OR BLACK PICKLEBALL POSTS*

The Premier<sup>TM</sup> XS Series is the Cadillac of pickleball posts; providing first-class looks and durability for both indoor and outdoor court applications.

**DIMENSIONS**

54" in length and sit 36" above court surface

**POST**

These 2-7/8" OD posts are constructed from heavy-duty 8-gauge steel and feature Allied's® superior Flo-coat® galvanization process. Posts are finished with black or forest green baked-on polyester powder coat to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation.

**HARDWARE**

Internally wound posts feature a jam-free cable tensioning hardware system. Choose from brass, plated steel or stainless steel gears. Gear housings and caps are made of die cast zinc. The gear function is 30:1 ratio to ensure a smooth, easy operation. The flush mounted gear plate cover has a removable handle to prevent any unwanted tampering.

**WARRANTY**


5 Year Limited

**GROUND SLEEVES**

Corresponding Ground Sleeves are sold separately. Choose from 24" Round PVC or Aluminum.

**#63074BR** DOUGLAS 2-7/8 IN OD PICKLEBALL POSTS, BRASS GEARS—GREEN**\$745****#63075BR** DOUGLAS 2-7/8 IN OD PICKLEBALL POSTS, BRASS GEARS—BLACK**\$745**


Flush Mounted Gear Plates



Die-cast zinc gear housings



Cast Aluminum Allow Caps



Integrated Welded Lacing Rods

**YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!**

PRICES SUBJECT TO CHANGE &amp; AVAILABILITY PLUS SHIPPING | VOLUME DISCOUNTS AVAILABLE | COOPERATIVE PURCHASING CONTRACT PRICING FOR ALL 50 STATES

# PREMIER<sup>TM</sup>XS

**DOUGLAS® 2-7/8 IN. OD PICKLEBALL POSTS, PLATED GEARS****#63074PG | #63075PG***DOUGLAS® PREMIER<sup>TM</sup> XS-36 HEAVY DUTY PICKLEBALL POSTS*

The Premier<sup>TM</sup> XS Series is the Cadillac of pickleball posts; providing first-class looks and durability for both indoor and outdoor court applications.

**DIMENSIONS**

54" in length and sit 36" above court surface

**POST**

These 2-7/8" OD posts are constructed from heavy-duty 8-gauge steel and feature Allied's® superior Flo-coat® galvanization process. Posts are finished with black or forest green baked-on polyester powder coat to resist rust and increase durability. Integrated welded steel lacing rods are included for a professional net installation.

**HARDWARE**

Internally wound posts feature a jam-free cable tensioning hardware system. Choose from plated steel, stainless steel or brass gears. Gear housings and caps are made of die cast zinc. The gear function is 30:1 ratio to ensure a smooth, easy operation. The flush mounted gear plate cover has a removable handle to prevent any unwanted tampering.

**WARRANTY**

5 Year Limited

**GROUND SLEEVES**

Corresponding Ground Sleeves are sold separately. Choose from 24" Round PVC or Aluminum.



**#63074PG** DOUGLAS 2-7/8 IN OD PICKLEBALL POSTS, BRASS GEARS—GREEN


**\$645**

**#63075PG** DOUGLAS 2-7/8 IN OD PICKLEBALL POSTS, BRASS GEARS—BLACK

**\$645**




Flush Mounted Gear Plates



Die-cast zinc gear housings



Cast Aluminum Allow Caps



Integrated Welded Lacing Rods

**YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!**

PRICES SUBJECT TO CHANGE & AVAILABILITY PLUS SHIPPING | VOLUME DISCOUNTS AVAILABLE | COOPERATIVE PURCHASING CONTRACT PRICING FOR ALL 50 STATES

**GS-24RD/AL Aluminum Ground Sleeves**  
24" Long for 2-7/8" OD Posts **#63171**


Aluminum ground sleeves for all 2-7/8" OD round posts. 24" in length and includes PVC end plugs. Sold per pair.

**#63171** GS-24RD/AL **\$68****GS-24RD/PVC Ground Sleeves**  
24" Long for 2-7/8" OD Posts **#63164**

New construction ground sleeves for all 2-7/8" OD posts. Made from 24" PVC and includes end plugs. Sold per pair.

**#63164** GS-24RD/PVC **\$68****GS-24RD/ST Galvanized Steel Ground Sleeves**  
24" Long for 3" OD Posts **#63424**


Round steel, 24" long ground sleeve for all 3" OD round posts. PVC end plugs are included. Sold per pair.

**#63424** GS-24RD/ST **\$79****GS-24SQ/ST STEEL GROUND SLEEVES**  
24" LONG FOR 3" SQ POSTS **#63425**

- 24" long square steel ground sleeve for Premier SQ posts. Sold per pair.

**#63425** GS-24SQ/ST **\$159****DOUGLAS® T-PLUGS**  
**FOR SQUARE GROUND SLEEVES**  
**#63420 | #68155 | #67520**

- Black powder coated, steel T-Plug to cover ground sleeves when posts are removed.
- Plugs are typically used for winterization or for multi purpose courts.
- Choose from (3) sizes. Sold individually.



<b>#63420</b>	3"	<b>\$39</b>
<b>#68155</b>	3.5"	<b>\$39</b>
<b>#67520</b>	4"	<b>\$39</b>

**DOUGLAS® T-PLUGS**  
**FOR ROUND GROUND SLEEVES**  
**#63418 | #63419**

- Black powder coated, steel T-Plug to cover ground sleeves when posts are removed.
- Plugs are typically used for winterization or for multi purpose courts.
- Choose from (2) sizes. Sold individually.



<b>#63418</b>	2-7/8" & 3"	<b>\$39</b>
<b>#63419</b>	3.5"	<b>\$39</b>

**YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!**

PRICES SUBJECT TO CHANGE &amp; AVAILABILITY PLUS SHIPPING / VOLUME DISCOUNTS AVAILABLE / COOPERATIVE PURCHASING CONTRACT PRICING FOR ALL 50 STATES

**DOUGLAS® CLASSIC ACS #20603**  
ADJUSTABLE CENTER STRAP

Non-slip reverse web slide with double ended snap. Made from heavy-duty 2" polyester white web and nickel plated web slides and snap.



#20603

CLASSIC ACS

\$14

**DOUGLAS® DELUXE ACS #20600**  
ADJUSTABLE CENTER STRAP

Non-Slip reverse web slide with swivel loop bolt snap. Constructed of Heavy duty 2" polyester white web, nickel plated web slides and snaps.



#20600

DELUXE ACS

\$14

**DOUGLAS® VELCRO ACS #20601**  
ADJUSTABLE CENTER STRAP

Constructed of heavy-duty 2" polyester white web, with nickel plated web slides and loop. Velcro adjustment with swivel loop bolt snap.



#20601

VELCRO ACS

\$14

**CENTER PIPE ANCHOR #63428**

Tennis court center pipe anchor constructed of 1.9 OD galvanized steel.



#63428

\$18

**YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!**

PRICES SUBJECT TO CHANGE & AVAILABILITY PLUS SHIPPING / VOLUME DISCOUNTS AVAILABLE / COOPERATIVE PURCHASING CONTRACT PRICING FOR ALL 50 STATES



**COURT DRY ROLLERS**

Stop wet weather conditions from interfering with tennis matches or other outdoor court games with the Court Dry. Powder coated stainless-steel frame has a T-socket that securely holds the 36" long roller and handle in place during use. Removable roller can easily be substituted for a replacement roller.

Choose from 2 roller options with a PVC core:

**Blue PVA Roller** – Made from 5/8" thick tough, durable Polyvinylaldehyde (PVA), this remarkable roller will outperform any other roller. The non-deteriorating foam is molded directly onto the roller core for rapid, streakless drying. Completely interchangeable with all court dry units.

**Seamless Foam Roller** – Super seamless extra thick construction, resists tears and separation to provide three times more drying power and is ideal for uneven courts.

#34735	Blue PVA Roller	\$135
#34734	Seamless Foam Roller	\$125

Replacement Seamless Foam Roller



#34742	SR-D RR-36 Replacement Seamless Foam Roller	\$69
--------	---	------

Replacement Blue PVA Roller



#34603	EZ-RR-36 Replacement PVA Roller	\$79
--------	---------------------------------	------

**YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!**

PRICES SUBJECT TO CHANGE & AVAILABILITY PLUS SHIPPING | VOLUME DISCOUNTS AVAILABLE | COOPERATIVE PURCHASING CONTRACT PRICING FOR ALL 50 STATES